

Genetic Summary Report

Animal Name: Stella

Owner: Laurie Butler

Membership Number: Not assigned

Member Body/Breed Club: Not assigned

Approved Collection Method: No





Scan to authenticate
this report online

Genetic Summary Report

Owner's details

Name	Laurie Butler
------	---------------

Animal's Details

Registered Name	Stella
Pet Name	Stella
Registration Number	FB18973
Breed	Maine Coon
Microchip Number	Not provided
Sex	Female
Date of Birth	23rd Jan 2026
Colour	Cream

Sample Collection Details

Case Number	26FB18973
Collected By	—
Approved Collection	No
Sample Type	SWAB

Test Details

Test Requested	My CatScan™
Pet Name	Stella
Date of Test	4th Aug 2026

Authorisation

Sample with Lab ID Number 26FB18973 was received at Orivet Genetics, DNA was extracted and analysed with the following result reported:

Orivet Genetic Analyst



Scan to authenticate
this report online

Genetic Summary Report

Health Tests Reported (Continued)

Breed Sense	Diseases	Result
✓	Factor XII Deficiency, Variant 2 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
✓	Hypertrophic Cardiomyopathy - Maine Coon	NORMAL (N/N) - [NO VARIANT DETECTED]
✓	Polycystic Kidney Disease	NORMAL (N/N) - [NO VARIANT DETECTED]
✓	Pyruvate Kinase Deficiency (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
✓	Spinal Muscular Atrophy	NORMAL (N/N) - [NO VARIANT DETECTED]
	Acute Intermittent Porphyria (Variant 1)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Acute Intermittent Porphyria (Variant 2)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Acute Intermittent Porphyria (Variant 3)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Acute Intermittent Porphyria (Variant 4) (Siamese Type 1)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Acute Intermittent Porphyria (Variant 5) (Siamese Type 2)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Acute Intermittent Porphyria (Variant 6)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Alpha Mannosidosis (Persian/Domestic Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Autoimmune Lymphoproliferative Syndrome	NORMAL (N/N) - [NO VARIANT DETECTED]
	Chylomicronemia - Lipoprotein Lipase Deficiency (Domestic Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Congenital Adrenal Hyperplasia	NORMAL (N/N) - [NO VARIANT DETECTED]
	Congenital Erythropoietic Porphyria, Variant 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]



Scan to authenticate
this report online

Genetic Summary Report

Health Tests Reported (Continued)

Breed Sense	Diseases	Result
	Congenital Erythropoietic Porphyria, Variant 2 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Congenital Hypothyroidism (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Congenital Myasthenic Syndrome	NORMAL (N/N) - [NO VARIANT DETECTED]
	Cystinuria, Type 1A (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Cystinuria, Type B, Variant 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Cystinuria, Type B, Variant 2 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Cystinuria, Type B, Variant 3 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Cystinuria, Type B, Variant 4 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Cystinuria, Type B, Variant 5 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Dihydropyrimidinase Deficiency (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Epidermolysis Bullosa Simplex (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Factor XII Deficiency, Variant 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Factor XII Deficiency, Variant 3 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Feline Leukocyte Adhesion Deficiency, Type 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Feline Spongy Encephalopathy (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Folded Ears with Osteochondrodysplasia (Feline)	f/f - TYPICAL (NON-FOLDED) EARS



Scan to authenticate
this report online

Genetic Summary Report

Health Tests Reported (Continued)

Breed Sense	Diseases	Result
	Forebrain Commissural Malformation (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Frontonasal Dysplasia (Burmese Head Defect)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Gangliosidosis GM1 (Japanese Domestic Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Gangliosidosis GM2A (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Glycogen Storage Disease Type IV (Norwegian Forest Cat Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	GM1 - Gangliosidosis	NORMAL (N/N) - [NO VARIANT DETECTED]
	GM2 Gangliosidosis (Burmese Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	GM2 Gangliosidosis (Korat Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	GM2 Gangliosidosis, Type II	NORMAL (N/N) - [NO VARIANT DETECTED]
	Haemophilia B (Variant 1)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Haemophilia B (Variant 2)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Hyperoxaluria GRHPR (Domestic Short/Long Hair Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Hypertrophic Cardiomyopathy (Sphynx Type Risk Factor) (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Hypertrophic Cardiomyopathy - Ragdoll	NORMAL (N/N) - [NO VARIANT DETECTED]
	Hypogonadotropic Hypogonadism (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Hypokalaemia Periodic Polymyopathy - Burmese	NORMAL (N/N) - [NO VARIANT DETECTED]



Scan to authenticate
this report online

Genetic Summary Report

Health Tests Reported (Continued)

Breed Sense	Diseases	Result
	Hypotrichosis with Short Life Expectancy (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Inflammatory Linear Verrucous Epidermal Nevus (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	L-2-Hydroxyglutaric Aciduria (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Methemoglobinemia, Variant 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Methemoglobinemia, Variant 2 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Mucopolipidosis II (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Mucopolysaccharidosis Type I	NORMAL (N/N) - [NO VARIANT DETECTED]
	Mucopolysaccharidosis Type VI (Siamese Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Mucopolysaccharidosis Type VII, Variant 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Mucopolysaccharidosis Type VII, Variant 2 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Myotonia Congenita (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Neuronal Ceroid Lipofuscinosis 6 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Neuronal Ceroid Lipofuscinosis 7, Variant 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Neuronal Ceroid Lipofuscinosis 7, Variant 2 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Niemann-Pick C1 Disease, Variant 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Niemann-Pick C1 Disease, Variant 2 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]



Scan to authenticate
this report online

Genetic Summary Report

Health Tests Reported

Breed Sense	Diseases	Result
	Niemann–Pick C2 Disease (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Niemann–Pick Disease – Sphingomyelinosis	NORMAL (N/N) - [NO VARIANT DETECTED]
	Polycystic Kidney Disease (Siberian Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Primary Congenital Glaucoma (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Progressive Retinal Atrophy (Abyssinian Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Progressive Retinal Atrophy (Bengal Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Progressive Retinal Atrophy (Persian Type)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Rod–Cone Dysplasia (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Vitamin D-Dependent Rickets Type IB (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Vitamin D-dependent Rickets, Type IA, Variant 1 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Vitamin D-dependent Rickets, Type IA, Variant 2 (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]



Scan to authenticate
this report online

Genetic Summary Report

Health Tests Reported (Continued)

Breed Sense	Traits	Result
✓	Agouti	a/a - SOLID - NO TABBY EXPRESSION ALLOWED
✓	Blood Groups	A/A - A BLOOD GROUP
✓	Chocolate & Cinnamon	B/B - BLACK COAT COLOUR
✓	Dilute (MLPH)	d/d - TWO COPIES OF DILUTE [COAT COLOUR IS DILUTED]
✓	Long Hair / Short Hair	lh ³ /lh ³ - LONGHAIRD
✓	Multiple Drug Resistance (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
✓	White Gloves (Birman Pattern)	N/N - DOES NOT CARRY THE GLOVING PATTERN
	Amber and Russet Coat Colour - E Locus	E/E - NON-AMBER, DARKLY PIGMENTED COAT COLOUR
	Coat Type - Curly (Devon Rex, Selkirk Rex Type) or Hairless (Sphynx Type) - R Locus	R/R - STRAIGHT COAT
	Curly Coat - Cornish Rex	Cu/Cu - STRAIGHT COAT
	Dominant White & White Spotting [W LOCUS]	w/w- NO WHITE SPOTTING
	Golden/Sunshine Coat (Siberian Type) - Wb Locus	Wb/Wb - NON-SUNSHINE TABBY
	Oculocutaneous Albinism (Feline)	NORMAL (N/N) - [NO VARIANT DETECTED]
	Pointed Coat Colour and Albinism - C Locus	C/C - NON-POINTED COAT
	Polydactyly (Feline)	pd/pd - NORMAL (TYPICAL) TOES
	Sex Determination - ZFX (Feline)	CAT IS FEMALE
	Short Tail (Bobtail) - T Locus (Feline)	t/t - NORMAL LENGTH TAIL



Scan to authenticate
this report online

Genetic Summary Report

Health Tests Reported

Breed Sense	Traits	Result
	Short Tail (Japanese Bobtail Type) (Feline)	st/st - NORMAL LENGTH TAIL
	Tabby Coat Colour Pattern - Mc Locus (Feline)	mc ¹ /mc ¹ - BLOTCHED (CLASSIC) TABBY COAT COLOUR PATTERN
	Ticked - Ti Locus (Feline)	ti+/ti+ - NON-TICKED TABBY

Glossary of Genetic Terms (Results)

Clarification of Genetic Testing

The goal of genetic testing is to provide breeders with relevant information to improve breeding practices in the interest of animal health. However, genetic inheritance is not a simple process, and may be complicated by several factors. Below is some information to help clarify these factors.

Some diseases may demonstrate signs of what Geneticists call “genetic heterogeneity”. This is a term to describe an apparently single condition that may be caused by more than one mutation and/or gene.

It is possible that there exists more than one disease that presents in a similar fashion and segregates in a single breed. These conditions — although phenotypically similar — may be caused by separate mutations and/or genes.

It is possible that the disease affecting your breed may be what Geneticists call an “oligogenic disease”. This is a term to describe the existence of additional genes that may modify the action of a dominant gene associated with a disease. These modifier genes may for example give rise to a variable age of onset for a particular condition, or affect the penetrance of a particular mutation such that some animals may never develop the condition.

The range of hereditary diseases continues to increase and we see some that are relatively benign and others that can cause severe and/or fatal disease. Diagnosis of any disease should be based on pedigree history, clinical signs, history (incidence) of the disease and the specific genetic test for the disease. Penetrance of a disease will always vary not only from breed to breed but within a breed, and will vary with different diseases. Factors that influence penetrance are genetics, nutrition and environment. Although genetic testing should be a priority for breeders, we strongly recommend that temperament and phenotype also be considered when breeding.

Orivet Genetic Pet Care aims to frequently update breeders with the latest research from the scientific literature. If breeders have any questions regarding a particular condition, please contact us on (03) 9534 1544 or admin@orivet.com and we will be happy to work with you to answer any relevant questions.

